UPPER EAGLE REGIONAL WATER AUTHORITY

Clean Water. Quality Life.™

Consumer Confidence Report

846 FOREST ROAD . VAIL, CO 81657 . 970.476.7480 . UERWA.ORG PUBLIC WATER SYSTEM ID # CO0119786

Esta es información importante. Si no la pueden leer, necesitan que alguien se la traduzca.

Clean Water. Quality Life.

Upper Eagle Regional Water Authority (UERWA) is pleased to present this Consumer Confidence Report, which details the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. This report, and the Eagle River Water & Sanitation District's 2017 Consumer Confidence Report, is available online at **uerwa.org**.




For most of the year, we treat surface water from the Eagle River in our Avon treatment plant, which can produce 10 million gallons per day. A 5 million-gallon-per-day microfiltration treatment plant in Edwards also provides water to the area. The system is supplemented with four wells in the Eagle River Alluvial Aquifer in the Edwards area. which can produce 650, 500, 230, and 90 gallons per minute (the equivalent of 0.940, 0.720, 0.331, and 0.130 million gallons per day, respectively). The Ranch (west) side of Cordillera also runs seven small wells which can produce approximately 450 gallons per minute (0.65 million gallons per day) to supplement that area.

A connection to the Vail well water system through Dowd Junction can supply up to 2.3 million gallons per day to the UERWA.

It is important that our valued customers be informed about their water utility. Please contact the Customer Service department at **(970) 476-7480** with questions about this report or to schedule a tour of our facilities.

Federal regulations require that this report be distributed to all of Upper Eagle Regional Water Authority's water customers. **There were no violations in the calendar year 2017.** Our goal is to provide you with safe and high quality drinking water. **UERWA's drinking water meets** or surpasses all federal and state drinking water standards.





What's in your water before we treat it?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides that may come from a variety of sources, such as agriculture, urban stormwater runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and also may come from gas stations, urban stormwater runoff, and septic systems.

Radioactive contaminants that can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (EPA) prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

Our facilities are designed to treat for known contaminants in our watershed, and to meet or surpass Federal and State requirements. Please contact the Customer Service department at (970) 476-7480 to learn more about our water supply system or with questions about any of the information presented.


Source Water Assessment & Protection

A source water assessment has been completed by the State of Colorado. Consumers can obtain a copy of this assessment by going to the state's Source Water Assessment and Protection (SWAP) website at: https://www.colorado.gov/pacific/ cdphe/swap-assessment-phase or by contacting the Customer Service department at (970) 476-7480.

Total susceptibility to potential sources of contamination ranges between moderate and moderately high. This rating reflects conditions that exist throughout the entire watershed, and its overall potential for contamination. UERWA continuously monitors its water sources, and is committed to delivering finished drinking water of the highest quality.

Our source water area includes two surface water treatment facilities and 11 groundwater wells. Potential sources of contamination in our source water area include: above ground, underground, and leaking storage tank sites; existing/abandoned mine sites; EPA hazardous waste generators; EPA abandoned contaminated sites; EPA superfund sites; EPA chemical inventory/storage sites; permitted wastewater discharge sites; high and low intensity residential; commercial/ industrial/transportation; urban recreational grasses; quarries/strip mines/gravel pits; pasture/hay; septic systems; row crops; road miles; other facilities; and deciduous, evergreen, and mixed forests.

The Source Water Assessment Report provides a screening-level evaluation of potential contamination that **could** occur. It does not mean that the contamination **has or will** occur. We can use this information to evaluate the need to improve our current water treatment capabilities and prepare for future contamination threats. This can help us ensure that quality finished water is delivered to your homes. In addition, the source water assessment results provide a starting point for developing a source water protection plan.





Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk.

Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV-AIDS or other immune system disorders, some elderly, and infants can be particularly at risk of infections. These people should seek advice about drinking water from their health care providers.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water.

Although filtration removes cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Our monitoring indicates the presence of these organisms in our source water and/or finished water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of cryptosporidium may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people are at greater risk of developing life-threatening illness. We encourage immunocompromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

For more information about contaminants and potential health effects, or to receive a copy of the U.S. Environmental Protection Agency (EPA) and the U.S. Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and microbiological contaminants, call the EPA Safe Drinking Water Hotline at (800) 426-4791.



No

No

Jan. - Dec. 2017

N/A

1

28

30

Human and animal fecal waste

SAMPLE DATE

Monthly

MICROBIOLOGICAL CONTAMINANTS VIOLATION

Total Coliform Bacteria

E. Coli

MCL OR TT

System collects < 40 samples: 1 positive monthly sample

Water Quality Testing Results

UERWA routinely monitors for contaminants in your drinking water according to Federal and State laws. The table below shows all detections found in the period of January 1 to December 31, 2017, unless otherwise noted. All are below allowed levels and there were no violations for the year 2017. The table below only lists detected contaminants: those that were tested for. but not detected. include all synthetic organic, inorganic, and volatile organic contaminants.

MCLG

0

CCR UNITS

Absent or

Present

The state of Colorado requires us to monitor for certain contaminants less than once per vear because the concentrations of these contaminants are not expected to vary significantly from year to year, or the system is not considered vulnerable to these types of contamination. Therefore, some of our data, though representative, may be more than one year old. Also, if only one sample was required then the range and level detected will be listed with only a single value.

LIKELY SOURCE OF CONTAMINATION

Naturally present in the environment

0

Your Public Water System is owned by Upper Eagle Regional Water Authority, a local government formed by intergovernmental contract. The Authority, a guasi-municipal corporation and political subdivision of the State of Colorado, is organized pursuant to the Water Authority Act.

The Authority provides water service to its six Member Entities (the metropolitan districts of Arrowhead, Beaver Creek, Berry Creek, EagleVail, and Edwards, along with the town of Avon) and to Bachelor Gulch and Cordillera. Operation and maintenance of the water system is provided by Eagle River Water & Sanitation District through an Operations Agreement.

Each Member Entity appoints one director to the six-member board of directors to set policy and oversee operations, which are provided by ERWSD. Board meetings are open to the public and are generally scheduled for the fourth Thursday of each month. The board meeting schedule and other Authority information is available at uerwa.org or by calling (970) 476-7480.

Partnership for Safe Water

The Avon Drinking Water Facility (ADWF) is committed to the Partnership for Safe Water - a voluntary effort between six drinking water organizations and more than 200 water utilities throughout the United States with a mission to improve the guality of water delivered to customers by optimizing water system operations. The facility is in the third phase of the four-phase program aimed at improving performance beyond even proposed regulatory levels. ADWF has received the Directors Award of Recognition from the Partnership for Safe Water and was one of a select group of utilities honored by the Partnership at the annual American Water Works Association conference in June 2017.

TERMS & ABBREVIATIONS

The following definitions explain the many terms and abbreviations, which may be unfamiliar, that are used in this report.

Below Detection Level (BDL): See "Non-Detects"

Maximum Contaminant Level (MCL): The "maximum allowed" is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant, below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of five NTU is just noticeable to the average person.

		-						Present		
Fecal Coliform & E. Coli	No	On Positive Total Coliform	A violation occurs when a month, are total coliform p	a routine sample and ositive and one is also	d a repeat sample, in any o fecal coliform or E. Coli	y given positive.	0	Absent or Present	0	Human and animal fecal waste
Turbidity	No	July & Oct. 2017	TT Value is 0.1. A value le the State. Any measurem			ess approved by	N/A	NTU	0.27	Soil runoff
Lowest monthly percent of readings be	low TT limits: 9	9%								
RADIONUCLIDE CONTAMINANTS	VIOLATION	SAMPLE DATE	MCL	MCLG	CCR UNITS	LEVEL DETECT (AVERAGE)		RANGE	LIKELY SOURC	E OF CONTAMINATION
Alpha Emitters	No	Feb. & June 201	4 15	0	pCi/L	1.7		BDL - 3.6	Erosion of natur	ral deposits
Combined Uranium	No	Feb. & June 201	4 30	0	ppb	1.9		1.1 - 2.2	Erosion of natur	ral deposits
COPPER & LEAD CONTAMINANTS	EXCEEDS AL	SAMPLE DATE	ACTION LEVEL	MCLG	CCR UNITS	90TH PERCEN	TILE	SAMPLE SITES ABOVE AL	LIKELY SOURC	E OF CONTAMINATION
Copper	No	June - Sept. 201	17 1.3	1.3	ppm	0.67		1	Corrosion of hou deposits; leaching	usehold plumbing systems; erosion of natural ng from wood preservatives
Lead	No	June - Sept. 201	17 15	0	ppb	3.2		0	Corrosion of ho	usehold plumbing systems, erosion of natural deposits
TREATMENT DISINFECTION	TT- VIOLATION	SAMPLE DATE	E MCL OR MRDL	SAMPLES BELOW TT LEVEL	CCR UNITS	SAMPLES ABO		RANGE	LIKELY SOURC	E OF CONTAMINATION
Chlorine at entry point to distribution	No	Monthly	MRDL = 4	0	ppm	0		0.31 - 2.3	Water additive u	used to control microbes
Chlorine in the distribution system	No	Monthly	MRDL = 4	0	ppm	0		0.31 - 2.01	Water additive u	used to control microbes
ORGANIC & INORGANIC CONTAMINANTS	VIOLATION	SAMPLE DATE	MCL OR MRDL	MCLG OR MRDLG	CCR UNITS	LEVEL DETECT (AVERAGE)		RANGE	LIKELY SOURC	E OF CONTAMINATION
Barium	No	June 2017	2	2	ppm	0.06		0.03 - 0.11	Discharge of dr of natural depo	illing wastes; discharge from metal refineries; erosion sits
Fluoride	No	Daily	4	4	ppm	0.32		0.08 - 1.02		ral deposits; water additive which promotes strong e from fertilizer and aluminum factories
Hexachlorocyclopentadiene	No	June 2017	50	50	ppb	0.01		BDL - 0.07	Discharge from	chemical factories
Dichlorophenoxyacetic acid- (2D4)	No	June 2017	70	70	ppb	0.27		0.27	Runoff from herbicide used on row crops	
Nitrate	No	June 2017	10	10	ppm	0.96		BDL - 1.9	Runoff from fer erosion of natur	tilizer use; leaching from septic tanks, sewage; al deposits
DISINFECTION BYPRODUCT CONTAMINANTS	VIOLATION	SAMPLE DATE	MCL	MCLG	CCR UNITS	AVERAGE		HIGHEST LRAA	RANGE	LIKELY SOURCE OF CONTAMINATION
Bromate	No	Quarterly	10	10	ppb	1.0		N/A	BDL - 2.9	Byproduct of drinking water disinfection
Total Trihalomethanes	No	Quarterly	80	N/A	ppb	30.6		44.45	3.67 - 60.0	Byproduct of drinking water chlorination
Haloacetic Acids	No	Quarterly	60	N/A	ppb	15.71		22.75	BDL - 45.0	Byproduct of drinking water disinfection
DISINFECTION BYPRODUCT PRECURSOR CONTAMINANT	TT VIOLATION	SAMPLE DATE	AVG. OF INDIV. RATIO SAMPLES	RANGE OF IN SAMPLES (LOW		LES TT MIN. RA	τιο	UNIT OF MEASURE	LIKELY SOURC	E OF CONTAMINATION
Total Organic Carbon (TOC)	No	Quarterly	1.21	1.0 - 1.84	4	Ratio of	1	Ratio	Naturally preser	at in the environment
Total organic carbon (TOC) has no health Drinking water containing these byproduc	effects. However ts in excess of th	, total organic carbon e MCL may lead to adv	provides a medium for the f verse health effects, liver or	ormation of disinfect kidney problems, or	tion byproducts. These b nervous system effects,	oyproducts include t and may lead to an	trihalom increas	nethanes (THMs) and hal ed risk of getting cancer	oacetic acids (HAA	\S).
LONG TERM 2 ENHANCED SURFACE WATER TREATMENT RULE: SOURCE WATER MONITORING	VIOLATION	SAMPLE DATE	MCL	BIN CLASSIFIC	ATION # OF POSITIVE	S SAMPLE S	IZE	LIKELY SOURCE OF C	ONTAMINATION	
Cryptosporidium	No	Jan Dec. 2017	N/A	1	1	24		Cryptosporidium is a microbial pathogen found in surface water throughout the United States		

OPERATIONS & MANAGEMENT

Action Level (AL): The concentration of a contaminant, if exceeded, triggers treatment or other requirements a water system must follow.

Maximum Contaminant Level Goal (MCLG): The "goal" is the level of a contaminant in drinking water, below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

90th Percentile: 90% of results are below this number

Non-Detects (ND) or Below Detection Level (BDL): Laboratory analysis indicates that the constituent is not present. ("<" Symbol for less than, the same as ND or BDL)

Not Tested (NT): Not tested.

Parts per million (ppm) or Milligrams per liter (mg/l): One part per million corresponds to one minute in two years or one penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l): One part per billion corresponds to one minute in 2,000 years, or one penny in \$10,000,000

PicoCuries per Liter (pCi/L): A measure of radioactivity in water.

Running Annual Average (RAA): An average of monitoring results for the previous 12 calendar months. LRAA is a locational RAA specific to a monitoring site.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Variances and Exemptions: State permission not to meet an MCL or a treatment technique under certain conditions.

Waiver: State permission not to test for a specific contaminant.

Providing efficient, effective, and reliable water utility services in a manner that respects the natural environment



PRESORT STD. US POSTAGE **PAID** CPC MAIL

For more information, contact Customer Service at (970) 476-7480 or go to uerwa.org.	@VailCOwater



When Can I Water?

- Adhere to the **odd/even** outdoor water use schedule based on the last digit in your street address.
- · Watering day is from midnight to midnight.
- Properties with both odd and even numbered street addresses should contact Customer Service to determine the best watering schedule.
- Hoses must have water saving shutoff nozzles to prevent free running water.
- \cdot Swimming pools are limited to one filling per year, unless draining for repairs is necessary.
- \cdot Water shall be used for beneficial purposes only.

DAY	MAY WATER	TIMES							
Monday — NO OUTDOOR WATER USE									
Tuesday	Odd	Before							
Wednesday	Even	10am or After 4pm ~ (MIDNIGHT TO 10AM OR 4PM TO MIDNIGHT)							
Thursday	Odd								
Friday	Even								
Saturday	Odd								
Sunday	Even								

WATER EFFICIENCY ITEMS ARE AVAILABLE TO CUSTOMERS FOR FREE AT THE VAIL OFFICE

- **Outdoor:** 6-position garden hose nozzle, soil moisture probe, rain gauge
- **Toilet:** dye tablets to detect leaks, fill cycle diverter





PREVENT WATER WASTE

Landscaping benefits most from slow, thorough, infrequent watering.

Test sprinkler heads regularly for breaks and blockages; check lines for leaks.

Landscaping runoff wastes water and carries pollutants into ditches or storm drains that flow directly to waterways.

Prevent runoff to improve stream water quality.